Overstone Combined School

How we teach calculations:

Calculation Policy for Mathematics

May 2020

About our Calculation Policy

At Overstone Combined School we make maths exciting, enjoyable and stimulating. We provide high quality teaching, which is engaging, interactive and builds upon children's prior learning. The following calculation policy has been devised to meet requirements of the National Curriculum 2014 for the teaching and learning of mathematics, and is also designed to give pupils a consistent and smooth progression of learning in calculations across the school. Please note that early learning in number and calculation in Reception and Nursery follows the 'Development Matters' EYFS document, and this calculation policy is designed to build on progressively from the content and methods established in the Early Years Foundation Stage.

Age stage expectations

The school's calculation policy ensures that there is consistency across the year groups and the children are provided with the key strategies in order for them to reach their full potential. It is organised according to age stage expectations as set out in the National Curriculum 2014, however it is vital that pupils are taught according to the stage that they are currently working at, being moved onto the next level as soon as they are ready, or working at a lower stage until they are secure enough to move on.

Providing a context for calculation

The three main aims of the National Curriculum are for all children to be fluent, to reason and to problem solve. It is therefore vital that all children can access all the questions. Some children may require more support at times, and as a school we will vary the level of challenge in our reasoning and problem solving questions so that some are accessible to every child, while others help to stretch thinking and deepen understanding.

As a school we have invested in the White Rose Maths Scheme. Every resource has been carefully designed to ensure it addresses the three key aims of fluency, reasoning and problem solving and follows the principles of teaching for mastery. It is designed to support pupils to be able to perform simpler tasks so they can then move on to perform more complex tasks. For example, we cannot expect pupils to add two numbers together before they understand what each individual number represents.

The Concrete, Pictorial and Abstract (CPA) method we use in school, involves using actual objects for children to add, subtract, multiply or divide. The children then progress to using pictorial representations of the object and ultimately abstract symbols.

Stage 1: Concrete action-based representation using equipment like money, counters, cubes, base ten blocks and dice to explore and solve problems. It is known as the "doing" stage and involves physically manipulating objects to solve a math problem.

Stage 2: Pictorial representations of concrete objects such as bar models are used to model problems — the 'seeing' stage.

Stage 3: Abstract notations using mathematical symbols — the symbolic stage.

Concrete	Pictorial	Abstract
Use cubes to add two numbers together as a group or in a bar.	Use pictures to add two numbers together as a group or in a bar.	$4 + 3 = 7$ $10 = 6 + 4$ 5 3 Use the part-part whole diagram as shown above to move into the abstract. Use bonds knowledge.

|	EYFS/Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Addition	Combining two parts to make a whole: part whole model. Starting at the bigger number and counting on- using cubes. Regrouping to make 10 using ten frame.	Adding three single digits. Use of base 10 to combine two numbers.	Column method- regrouping. Using place value counters (up to 3 digits).	Column method- regrouping. (up to 4 digits)	Column method- regrouping. Use of place value counters for adding decimals.	Column method- regrouping. Abstract methods. Place value counters to be used for adding decimal numbers.
Subtraction	Taking away ones Counting back Find the difference Part whole model Make 10 using the ten frame	Counting back Find the difference Part whole model Make 10 Use of base 10	Column method with regrouping. (up to 3 digits using place value counters)	Column method with regrouping. (up to 4 digits)	Column method with regrouping. Abstract for whole numbers. Start with place value counters for decimals- with the same amount of decimal places.	Column method with regrouping. Abstract methods. Place value counters for decimals- with different amounts of decimal places.

Calculation policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

Concrete	Pictorial	Abstract
Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars). 	Children to represent the cubes using dots or crosses. They could put each part on a part whole model too. 	$4 + 3 = 7$ Four is a part, 3 is a part and the whole is seven.
Counting on using number lines using cubes or Numicon. 	A bar model which encourages the children to count on, rather than count all. 	The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? $4 + 2$

|		
Regrouping to make 10; using ten frames and counters/cubes or using Numicon. $6 + 5$ 	Children to draw the ten frame and counters/cubes. 	Children to develop an understanding of equality e.g. $6 + \square = 11$ $6 + 5 = 5 + \square$ $6 + 5 = \square + 4$
TO + O using base 10. Continue to develop understanding of partitioning and place value. $41 + 8$ 	Children to represent the base 10 e.g. lines for tens and dot/crosses for ones. 	$41 + 8$ $1 + 8 = 9$ $40 + 9 = 49$
TO + TO using base 10. Continue to develop understanding of partitioning and place value. $36 + 25$ 	Chidlren to represent the base 10 in a place value chart. 	Looking for ways to make 10. $36 + 25 =$ $30 + 20 = 50$ $5 + 5 = 10$ $50 + 10 + 1 = 61$ Formal method: $\begin{array}{r} 36 \\ +25 \\ \hline 61 \\ \hline 1 \end{array}$

Use of place value counters to add HTO + TO, HTO + HTO etc. When there are 10 ones in the 1s column- we exchange for 1 ten, when there are 10 tens in the 10s column- we exchange for 1 hundred.

Chidren to represent the counters in a place value chart, circling when they make an exchange.



```
  243
+ 368
-----
  611
-----
   1  1
```

Conceptual variation; different ways to ask children to solve 21 + 34

Word problems:
In year 3, there are 21 children and in year 4, there are 34 children.
How many children in total?

21 + 34 = 55. Prove it

```
  21
+ 34
----
```

21 + 34 =

[ ] = 21 + 34

Calculate the sum of twenty-one and thirty-four.

Missing digit problems:

10s	1s
10 10	1
10 10 10	?
?	5

Key vocabulary for addition

Year 1: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most and count on a number line.

Year 2: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most, count on, number line, sum, tens, units, partition, addition, column and tens boundary.

Year 3: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most, count on, number line, sum, tens, units, partition, plus, addition, column, tens boundary, **hundreds boundary, increase, vertical, 'carry', expanded and compact.**

Year 4: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most, count on, number line, sum, tens, units, partition, plus, addition, column, tens boundary, hundreds boundary, increase, vertical, 'carry', expanded, compact, **thousands, hundreds, digits and inverse.**

Year 5: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most, count on, number line, sum, tens, units, partition, plus, addition, column, tens boundary, hundreds boundary, increase, 'carry', expanded, compact, vertical, thousands, hundreds, digits, inverse & **decimal places, decimal point, tenths, hundredths and thousandths.**

Year 6: Key vocabulary - add, more, plus, and, make, altogether, total, equal to, equals, double, most, count on, number line, sum, tens, units, partition, plus, addition, column, tens boundary, hundreds boundary, increase, 'carry', expanded, compact, vertical, thousands, hundreds, digits, inverse, decimal places, decimal point, tenths, hundredths and thousandths.

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete	Pictorial	Abstract
Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used). $4 - 3 = 1$ 	Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used. 	4- 3 = $\square$ $= 4 - 3$
Counting back (using number lines or number tracks) children start with 6 and count back 2. $6 - 2 = 4$ 	Children to represent what they see pictorially e.g. 	Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line

|		
Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used). Calculate the difference between 8 and 5. 	Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate. 	Find the difference between 8 and 5. 8 – 5, the difference is ☐ Children to explore why 9 - 6 = 8 – 5 = 7 – 4 have the same difference.
Making 10 using ten frames. 14 – 5 	Children to present the ten frame pictorially and discuss what they did to make 10. 	Children to show how they can make 10 by partitioning the subtrahend. $14 - 5 = 9$ $4 \quad 1$ 14 – 4 = 10 10 – 1 = 9
Column method using base 10. 48-7 	Children to represent the base 10 pictorially. 	Column method or children could count back 7.

| Column method using base 10 and having to exchange. 41 – 26	Represent the base 10 pictorially, remembering to show the exchange.	Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because 41 = 30 + 11.
Column method using place value counters. 234 – 88	Represent the place value counters pictorially; remembering to show what has been exchanged.	Formal colum method. Children must understand what has happened when they have crossed out digits.

Conceptual variation; different ways to ask children to solve 391 - 186

	Raj spent £391, Timmy spent £186. How much more did Raj spend? Calculate the difference between 391 and 186.	⬚ = 391 – 186 391 -186 _____ What is 186 less than 391?	Missing digit calculations

Key vocabulary for subtraction

Year 1: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves, distance between, how many more, how many fewer / less than, most, least, count back, how many left and how much less is_?

Year 2: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves, distance between, how many more, how many fewer / less than, most, least, count back, how many left, how much less is_? **Difference, count on, strategy, partition, tens and units.**

Year 3: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves, distance between, how many more, how many fewer / less than, most, least, count back, how many left, how much less is_? Difference, count on, strategy, partition, tens, units **exchange, decrease, hundreds, value and digit.**

Year 4: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves distance between,, how many more, how many fewer / less than, most, least, count back , how many left, how much less is_? Difference, count on, strategy, partition, tens, units exchange, decrease, hundreds, value, digit and **inverse.**

Year 5: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves distance between, how many more, how many fewer / less than, most, least, count back, how many left, how much less is_? Difference, count on, strategy, partition, tens, units exchange, decrease, hundreds, value, digit, inverse, **tenths, hundredths, decimal point and decimal.**

Year 6: Key vocabulary - equal to, take, take away, less, minus, subtract, leaves, distance between, how many more, how many fewer / less than, most, least, count-back, how many left, how much less is_? Difference, count on, strategy, partition, tens, units exchange, decrease, hundreds, value, digit, inverse, tenths, hundredths, decimal point and decimal.

|	Multiplication					
Multiplication	Recognising and making equal groups. Doubling Counting in multiples Use cubes, Numicon and other objects in the classroom	Arrays- showing commutative multiplication	Arrays 2d × 1d using base 10	Column multiplication- introduced with place value counters. (2 and 3 digit multiplied by 1 digit)	Column multiplication Abstract only but might need a repeat of year 4 first(up to 4 digit numbers multiplied by 1 or 2 digits)	Column multiplication Abstract methods (multi-digit up to 4 digits by a 2 digit number)
Division	Sharing objects into groups Division as grouping e.g. I have 12 sweets and put them in groups of 3, how many groups? Use cubes and draw round 3 cubes at a time.	Division as grouping Division within arrays- linking to multiplication Repeated subtraction	Division with a remainder-using lollipop sticks, times tables facts and repeated subtraction. 2d divided by 1d using base 10 or place value counters	Division with a remainder Short division (up to 3 digits by 1 digit- concrete and pictorial)	Short division (up to 4 digits by a 1 digit number including remainders)	Short division Long division with place value counters (up to 4 digits by a 2 digit number) Children should exchange into the tenths and hundredths column too

Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete	Pictorial	Abstract
Repeated grouping/repeated addition 3×4 $4 + 4 + 4$ There are 3 equal groups, with 4 in each group. 	Children to represent the practical resources in a picture and use a bar model. 	$3 \times 4 = 12$ $4 + 4 + 4 = 12$
Number lines to show repeated groups- 3×4 Cuisenaire rods can be used too.	Represent this pictorially alongside a number line e.g.: 	Abstract number line showing three jumps of four. $3 \times 4 = 12$

|		
Use arrays to illustrate commutativity counters and other objects can also be used. $2 \times 5 = 5 \times 2$ 2 lots of 5 5 lots of 2	Children to represent the arrays pictorially. 	Children to be able to use an array to write a range of calculations e.g. $10 = 2 \times 5$ $5 \times 2 = 10$ $2 + 2 + 2 + 2 + 2 = 10$ $10 = 5 + 5$
Partition to multiply using Numicon, base 10 or Cuisenaire rods. 4×15 	Children to represent the concrete manipulatives pictorially. 	Children to be encouraged to show the steps they have taken. 4×15 $10 \quad 5$ $10 \times \quad 4 = 40$ $5 \times \quad 4 = 20$ $40 + 20 = 60$ A number line can also be used
Formal column method with place value counters (base 10 can also be used.) 3×23 	Children to represent the counters pictorially. 	Children to record what it is they are doing to show understanding. $3 \times 23 \qquad 3 \times 20 = 60$ $\quad / \; \backslash \qquad 3 \times 3 = 9$ $20 \quad 3 \qquad 60 + 9 = 69$ $\begin{array}{r} 23 \\ \times \;\; 3 \\ \hline 69 \\ \hline \end{array}$

Formal column method with place value counters. 6 x 23	Children to represent the counters/base 10, pictorially e.g. the image below.	Formal written method

When children start to multiply 3d × 3d and 4d × 2d etc., they should be confident with the abstract:

To get 744 children have solved 6 × 124.
To get 2480 they have solved 20 × 124.

Answer: 3224

Conceptual variation; different ways to ask children to solve 6 × 23

|	Mai had to swim 23 lengths, 6 times a week. How many lengths did she swim in one week? With the counters, prove that 6 x 23 = 138	Find the product of 6 and 23 $6 × 23 =$ $\Box = 6 × 23$ $\begin{array}{r} 6 \\ × \ 23 \\ \hline \end{array}$ $\begin{array}{r} 23 \\ × \ 6 \\ \hline \end{array}$	What is the calculation? What is the product?

Key vocabulary for multiplication

Year 1: Key vocabulary - groups of, lots of, times, array, altogether, multiply and count.

Year 2: Key vocabulary - groups of, lots of, times, array, altogether, multiply, count, multiplied by, repeated addition, column, row, commutative, sets of, equal groups, times as big as, once, twice and three times...

Year 3: Key vocabulary - groups of, lots of, times, array, altogether, multiply, count, multiplied by, repeated addition, column, row, commutative, sets of, equal groups, times, _times as big as, once, twice, three times... **partition, multiple, product, tens, units and value.**

Year 4: Key vocabulary - groups of, lots of, times, array, altogether, multiply, count, multiplied by, repeated addition, array, column, row, commutative, groups of, sets of, lots of, equal groups, times, multiply, times as big as, once, twice, three times... partition, total, multiple, product, sets of and **inverse.**

Year 5: Key vocabulary - groups of, lots of, times, array, altogether, multiply, count, multiplied by, repeated addition, column, row, commutative, sets of, equal groups, _times as big as, once, twice, three times... partition, total, multiple, product, inverse, **square, factor, integer, decimal, short/long multiplication and 'carry.'**

Year 6: Key vocabulary - groups of, lots of, times, array, altogether, multiply, count, multiplied b, repeated addition, array, column, row, commutative, sets of, equal groups, times as big as, once, twice, three times... partition, grid method, total, multiple, product, inverse, square, factor, integer, decimal, short / long multiplication, 'carry', **tenths, hundredths and decimal.**

Calculation policy: Division

Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
Sharing using a range of objects. $6 \div 2$ 	Represent the sharing pictorially. 	$6 \div 2 = 3$ Children should also be encouraged to use their 2 times tables facts.
Repeated subtraction using Cuisenaire rods above a ruler. $6 \div 2$ 3 groups of 2	Children to represent repeated subtraction pictorially. 	Abstract number line to represent the equal groups that have been subtracted.

|		
2d ÷ 1d with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used. 13 ÷ 4 Use of lollipop sticks to form wholes- squares are made because we are dividing by 4. There are 3 whole squares, with 1 left over.	Children to represent the lollipop sticks pictorially. There are 3 whole squares, with 1 left over.	13 ÷ 4 – 3 remainder 1 Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line. '3 groups of 4, with 1 left over'
Sharing using place value counters. 42 ÷ 3 = 14 	Children to represent the place value counters pictorially. 	Children to be able to make sense of the place value counters and write calculations to show the process. 42 ÷ 3 42 = 30 + 12 30 ÷ 3 = 10 12 ÷ 3 = 4 10 + 4 = 14

Short division using place value counters to group.	Represent the place value counters pictorially.	Children to the calculation using the short division scaffold.
615 ÷ 5 1. Make 615 with place value counters. 2. How many groups of 5 hundreds can you make with 6 hundred counters? 3. Exchange 1 hundred for 10 tens. 4. How many groups of 5 tens can you make with 11 ten counters? 5. Exchange 1 ten for 10 ones. 6. How many groups of 5 ones can you make with 15 ones?		

Long division using place value counters
2544 ÷ 12

We can't group 2 thousands into groups of 12 so will exchange them.

We can group 24 hundreds into groups of 12 which leaves with 1 hundred.

$$12\overline{)2544}$$

with quotient 0 2 and subtraction of 24 leaving 1.

1000s	100s	10s	1s

After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

```
    0 2 1
12 ) 2544
     24
     ——
     14
     12
     ——
      2
```

1000s	100s	10s	1s

After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

```
    0 2 1 2
12 ) 2544
     24
     ——
     14
     12
     ——
     24
     24
     ——
      0
```

Conceptual variation; different ways to ask children to solve 615 ÷ 5

Using the part whole model below, how can you divide 615 by 5 without using short division?	I have £615 and share it equally between 5 bank accounts. How much will be in each account? 615 pupils need to be put into 5 groups. How many will be in each group?	$5 \overline{)615}$ $615 \div 5 =$ $\square = 615 \div 5$	What is the calculation? What is the answer?

Part whole model: 615 splits into 500, 100, 15

Key vocabulary for division

Year 1: Key Vocabulary - share, share equally, one each, two each… group, groups of, lots of and array.

Year 2: Key Vocabulary - share, share equally, one each, two each… group, equal groups of, lots of, array, divide, divided by, divided into, division, grouping, number line, left and left over.

Year 3: Key Vocabulary - share, share equally, one each, two each… group, equal groups of, lots of, array, divide, divided by, divided into, division, grouping, number line, left, left over, **inverse, short division, 'carry', remainder, multiple.**

Year 4: Key Vocabulary - share, share equally, one each, two each… group, equal groups of, lots of, array, divide, divided by, divided into, division, grouping, number line, left, left over, inverse, short division, 'carry', remainder, multiple, **divisible by and factor.**

Year 5: Key Vocabulary - share, share equally, one each, two each… group, equal groups of, lots of, array, divide, divided by, divided into, division, grouping, number line, left, left over, inverse, short division, 'carry', remainder, multiple, divisible by, factor, inverse, **quotient, prime number, prime factors and composite number (non-prime).**

Year 6: Key Vocabulary - As previously and common factor.